

PRICE LIST



Agriculture



Infrastructure



Buildings



Home



Industries

**SWITCHGEAR
&
PROTECTION
DEVICES**

We Build Tough Products For Tough Environments

ABOUT US

Rectiva Switch Gears was founded by **MR. SURESH KUMAR YADAV**, whose vision was to deliver innovation, safety, and reliability in every electrical solution.

Today, under the dynamic leadership of **MR. JATIN YADAV**, Managing Director, Rectiva continues to grow stronger, combining experience with modern innovation to provide durable, precise, and trusted switch gears for industries and homes worldwide.

FOUNDER – MR. SURESH KUMAR YADAV

"A visionary entrepreneur, Mr. Suresh Kumar Yadav laid the foundation of Rectiva Switch Gears with a mission to deliver safety, reliability, and quality in every electrical solution. His dedication and foresight continue to inspire the company's journey of excellence."

MANAGING DIRECTOR – MR. JATIN YADAV

As Managing Director, Mr. Jatin Yadav leads Rectiva with dynamic energy and modern vision. He drives innovation, customer trust, and growth, ensuring that Rectiva remains a trusted name in power and protection solutions."



PRODUCT LIST

CHANGEOVER U-TYPE

CAT NO.	AMPS	VOLTS	POLE	TYPE	MRP (Per Unit)	Package (Per Case)
RECUT 101	32	240	D.P	Porcelian (U -Type)	1,543	20 Pcs.
RECUT 102	32	415	F.P	Porcelian (U -Type)	2,720	8 Pcs.
RECUT 103	63	240	D.P	Porcelian (U -Type)	4,174	6 Pcs.
RECUT 104	63	415	F.P	Porcelian (U -Type)	6928	3 Pcs.
RECUT 105	100	415	F.P	Porcelian (U -Type)	9,631	3 Pcs.
RECUT 106	200	415	F.P	Porcelian (U -Type)	19,831	1 Pc.

CHANGE OVER KNIFE -TYPE

CAT NO.	AMPS	VOLTS	POLE	TYPE	MRP (Per Unit)	Package (Per Case)
RECKT 111	32	240	D.P	Knife Type	2,939	8 Pcs.
RECKT 112	32	415	F.P	Knife Type	4,638	8 Pcs.
RECKT 113	63	240	D.P	Knife Type	4,840	4 Pcs.
RECKT 114	63	415	F.P	Knife Type	8,228	4 Pcs.
RECKT 115	100	415	F.P	Knife Type	9,680	3 Pcs.
RECKT 116	100	415	F.P	Knife Type HEAVY	14,080	3 Pcs.
RECKT 117	200	415	F.P	Knife Type	23,267	1 Pc.
RECKT 118	320	415	F.P	Knife Type	24,781	1 Pc.
RECKT 119	400	415	F.P	Knife Type	41,712	1 Pc.
RECKT 120	630	415	F.P	Knife Type	64,482	1 Pc.

FUSE SWITCH UNIT U-TYPE

CAT NO.	AMP	VOLTS	POLE	TYPE	MRP (Per Unit)	Package (Per Case)
REFSU 131	32	240	D.P	Main Switch	1,394	20 Pcs.
REFSU 132	32	415	T.P	Main Switch	2,457	8 Pcs.
REFSU 133	32	415	T.P&N	Main Switch	2,508	8 Pcs.
REFSU 134	63	240	D.P	Main Switch	4,208	6 Pcs.
REFSU 135	63	415	T.P	Main Switch	6,044	4 Pcs.
REFSU 136	63	415	T.P&N	Main Switch	6,163	4 Pcs.
REFSU 137	100	415	T.P	Main Switch	9,116	2 Pcs.
REFSU 138	100	415	T.P&N	Main Switch	9,223	2 Pcs.
REFSU 139	200	415	T.P	Main Switch	13,260	1 Pc.
REFSU 140	200	415	T.P&N	Main Switch	13,473	1 Pc.



PRODUCT LIST

BUS BAR STEP TYPE

Rectiva Copper Bus Bar (Step Type) is engineered for efficient power distribution, available from 32 Amp to 1000 Amp. Made from high-grade electrolytic copper, it delivers maximum conductivity, minimal power loss, and excellent thermal performance. Its step-type design ensures easy installation, optimum space utilization and enhanced safety, making it ideal for modern electrical panels.”

STEP BUS BAR INDICATOR

CAT NO.	AMP	VOLTS	MRP (Per Unit)	Package (Per Case)
REBBS 201	32	415	2,200	10 Pcs.
REBBS 202	63	415	3,670	6 Pcs.
REBBS 203	100	415	5,839	4 Pcs.
REBBS 204	200	415	10,340	2 Pcs.
REBBS 205	300	415	12,012	2 Pcs.
REBBS 206	400	415	20,680	1 Pc.
REBBS 207	600	415	30,272	1 Pc.

KIT KAT STANDARD (WITHOUT EXTENSION STRIP)



CAT NO.	AMP	VOLT	TYPE	MRP (Per Unit)	Package (Per Case)
REKWE 301	32	415	(WITHOUT EXTENSION STRIP)	287	36 Pcs.
REKWE 302	62	415	(WITHOUT EXTENSION STRIP)	572	26 Pcs.
REKWE 303	100	415	(WITHOUT EXTENSION STRIP)	1,065	18 Pcs.
REKWE 304	200	415	(WITHOUT EXTENSION STRIP)	1,815	8 Pcs.

KIT KAT STANDARD (EXTENSION STRIP)

CAT NO.	AMP	VOLT	TYPE	MRP (Per Unit)	Package (Per Case)
REKWE 306	62	415	(WITH EXTENSION STRIP)	618	26 Pcs.
REKWE 307	100	415	(WITH EXTENSION STRIP)	1,198	18 Pcs.
REKWE 308	200	415	(WITH EXTENSION STRIP)	2,312	8 Pcs.
REKWE 308	320	415	(WITH EXTENSION STRIP)	2,203	8 Pcs.
REKWE 309	500	415	(WITH EXTENSION STRIP)	3,034	4 Pcs.

MCCB BOX

CAT NO.	MC CB BOXES	MRP (Per Unit)	Package (Per Case)
RESD 401	100 AMP	1372	8Pcs.
RESD 402	200 AMP	1636	6 Pcs.
RESD 403	400 AMP	3533	4 Pcs.



PRODUCT LIST

D.B BOXES PRIME SERIES

CAT NO.	D.B BOXES (DOUBLE DOOR)	MRP (Per Unit)	Package (Per Case)
REPDD 411	4 WAY SPN	709	16 Pcs.
REPDD 412	6 WAY SPN	855	12 Pcs.
REPDD 413	8 WAY SPN	964	10 Pcs.
REPDD 414	10 WAY SPN	1,118	10 Pcs.
REPDD 415	12 WAY SPN	1,256	10 Pcs.
REPDD 416	16 WAY SPN	1,560	8 Pcs.
REPDD 417	4 WAY TPN	2,524	4 Pcs.
REPDD 418	6 WAY TPN	2,850	4 Pcs.
REPDD 419	8 WAY TPN	2,722	3 Pcs.

HRC Fuse

Range: 100A to 1000A

Rectiva HRC (High Rupturing Capacity) Fuses are fabricated from high-quality CRC sheet and premium components, ensuring maximum safety, strength, and durability. Designed to withstand heavy fault currents, they deliver excellent breaking capacity, fast response, and long service life. With a wide operating range from 100A to 1000A, Rectiva HRC Fuses are the trusted choice for industrial panels and power distribution systems.


- ★ Fabricated from high-quality CRC sheet
- ★ Wide range: 100A to 1000A
- ★ High breaking capacity with quick fault interruption
- ★ Strong, durable & long service life

HEAVY DUTY DOUBLE BREAK FUSE SWITCHES

CAT NO.	AMP	VOLT	MRP (Per Unit)	Package (Per Case)
REHRC 501	100	415	11,592	2 Pc.
REHRC 502	200	415	15,375	2 Pc.
REHRC 503	300	415	16,171	2 Pc.
REHRC 504	400	415	25,988	1 Pc.
REHRC 505	600	415	39,752	1 Pc.

REVERSE / FORWARD SWITCH

CAT NO.	REVERSE/FORWARD SWITCH	MRP (Per Unit)	Package (Per Case)
RERFS 515	16A.	666	32 PCS.
RERFS 516	25A./ 32A.	1,136	25 PCS.
RERFS 517	63A.	1,361	25 PCS.



PRODUCT LIST

KWH Static Energy Meters

Rectiva KWH Static Energy Meters are designed for accurate energy measurement, reliability, and long-term performance. Available in Single Phase and Three Phase variants, these meters come in two types – with Built-in CTR for precise current measurement, and with LED indication for easy monitoring. Manufactured with high-quality components, they ensure durability, safety, and efficiency for residential, commercial, and industrial applications

- ★ Single Phase & Three Phase models
- ★ Two types: *Built-in CTR* & *LED indication*
- ★ Class-1 accuracy with stable performance
- ★ Compact, durable, and user-friendly design
- ★ Suitable for homes, offices, and industries

CAT NO.	KWH STATIC METERS	MRP (Per Unit)	Package (Per Case)
REKSM 530	10-40 AMP ANALOG SINGLE PHASE	565	32 PCS.
REKSM 531	10-40 AMP LCD SINGLE PHASE	910	25 PCS.
REKSM 532	10-40 AMP ANALOG THREE PHASE	1,912	25 PCS.
REKSM 533	10-40 AMP LCD THREE PHASE	2,085	25 PCS.
REKSM 534	10-60 AMP ANALOG THREE PHASE	2,282	25 PCS.

ROTARY SWITCH

CAT NO.	CAM OPERATED ROTARY SWITCH	MRP (Per Unit)	Package (Per Case)
RECORDS 545	40 AMP.	675	45 PCS.
RECORDS 546	63 AMP.	685	45 PCS.
RECORDS 547	100 AMP.	2,353	24 PCS.

Range: SP, DP, TP & FP | 6A to 63A

Designed to protect against overloads and short circuits, Rectiva MCBs ensure reliable safety and consistent performance.**

- ★ High breaking capacity
- ★ Compact & durable design
- ★ Easy installation and maintenance
- ★ Suitable for homes, offices & industries

CAT NO.	SINGLE POLE MCB	MRP (Per Unit)	Package (Per Case)
RESP 601-606	06 AMP TO 32A SP MCB	163	12 PCS.
RESP 607	40 AMP SP MCB	197	12 PCS.
RESP 608	63 AMP SP MCB	238	12 PCS.



PRODUCT LIST

CAT NO.	DOUBLE POLE MCB	MRP (Per Unit)	Package (Per Case)
REDP 609-614	06 AMP TO 32A DP MCB	393	6 PCS.
REDP 615	40 AMP DP MCB	466	6 PCS.
REDP 616	63 AMP DP MCB	555	6 PCS.

CAT NO.	THREE POLE MCB	MRP (Per Unit)	Package (Per Case)
RETP 617-622	06 AMP TO 32A TP MCB	590	4 PCS.
RETP 623	40 AMP TP MCB	700	4 PCS.
RETP 624	63 AMP TP MCB	834	4 PCS.

CAT NO.	FOUR POLE MCB	MRP (Per Unit)	Package (Per Case)
REFP 625-630	06 AMP TO 32A FP MCB	785	3 PCS.
REFP 631	40 AMP FP MCB	933	3 PCS.
REFP 632	63 AMP FP MCB	1,110	3 PCS.

RECTIVA ISOLATOR MCB

Range:* DP & FP | 40A to 63A

Rectiva Isolator MCBs provide safe and reliable disconnection of electrical circuits for maintenance and protection.

- ★ Robust design for long life
- ★ Ensures safe isolation of power
- ★ Wide range of applications
- ★ Easy operation with secure handling

CAT NO.	DOUBLE POLE ISOLATOR	MRP (Per Unit)	Package (Per Case)
REDP 633	40 AMP DP ISOLATOR MCB	323	6 PCS.
REDP 634	63 AMP DP ISOLATOR MCB	342	6 PCS.

CAT NO.	FOUR POLE ISOLATOR	MRP (Per Unit)	Package (Per Case)
REFP 635	40 AMP FP ISOLATOR MCB	646	3 PCS.
REFP 636	63 AMP FP ISOLATOR MCB	684	3 PCS.



PRODUCT LIST

RECTIVA MINI CHANGEOVER SWITCH

Built for smooth and reliable power transfer, Rectiva Mini Changeovers ensure uninterrupted supply between main and alternate sources.

- ★ Compact & sturdy design
- ★ Reliable switching performance
- ★ User-friendly operation
- ★ Ideal for residential & commercial setups

CAT NO.	MINI CHANGE OVER	MRP (Per Unit)	Package (Per Case)
REDP 637	40 AMP DP MINI C/O	670	6 PCS.
REDP 638	63 AMP DP MINI C/O	770	6 PCS.
REDP 639	40 AMP FP MINI C/O	1335	3 PCS.
REDP 640	63 AMP FP MINI C/O	1535	3 PCS.



Rectiva RCCB (Residual Current Circuit Breaker)

Rectiva RCCBs safeguard people and equipment by preventing electric shocks and detecting leakage currents with high accuracy.

- ★ Sensitive leakage protection
- ★ Enhanced user safety
- ★ Wide operating range
- ★ Quick fault detection & tripping

CAT NO.	DOUBLE POLE RCCB	MRP (Per Unit)	Package (Per Case)
REDP 641	25 AMP DP RCCB	1825	6 PCS.
REDP 642	40 AMP DP RCCB	1865	6 PCS.
REDP 643	63 AMP DP RCCB	1911	6 PCS.

CAT NO.	FOUR POLE RCCB	MRP (Per Unit)	Package (Per Case)
REFP 644	25 AMP FP RCCB	2498	3 PCS.
REFP 645	40 AMP FP RCCB	2553	3 PCS.
REFP 646	63 AMP FP RCCB	2594	3 PCS.

CAT NO.	TINY TRIP SINGLE POLE	MRP (Per Unit)	Package (Per Case)
RESP 647-652	06 AMP TO 32A SP TINY MCB		12 PCS.

CAT NO.	TINY TRIP DOUBLE POLE	MRP (Per Unit)	Package (Per Case)
REDP 652-657	06 AMP TO 32A DP TINY MCB		6 PCS.



PRODUCT LIST

ROTARY BOX ENCLOSURES

CAT NO.	ROTARY BOX ENCLOSURES	MRP (Per Unit)	Package (Per Case)
RE RB 701	63A SPN	1900	12PCS.
RE RB 702	63A TPN	4620	4PCS.

CAT NO.	PHASE SELECTOR (TPN)	MRP (Per Unit)	Package (Per Case)
RE PS 703	4 WAY TPN DOUBLE DOOR	3580	4PCS.
RE PS 704	6 WAY TPN DOUBLE DOOR	3960	4PCS.



RECTIVA DOL OIL-IMMERSED MOTOR STARTER

Reliable - Durable - Safe

The **Rectiva Direct-On-Line Oil-Immersed Motor Starter** is designed for smooth and reliable operation of three-phase induction motors. Its contacts and relays are fully immersed in high-grade insulating oil, providing excellent **arc quenching, cooling, and long contact life**. Built for **heavy-duty performance**, it ensures maximum protection against overloads and voltage drops. Suitable for **pumps, compressors, and industrial applications**, this starter combines **efficiency, safety, and strength** — making it the **perfect choice for demanding environments**.

DOL MOTOR STARTER

CAT NO.	(DOL) IMMERSED	PHASE	MRP (Per Unit)	Package (Per Case)
REOI 715	7.5 , 10HP	Three	3,194	8PCS.
REOI 716	12.5,15 HP	Three	3,244	8PCS.
REOI 717	20 HP	Three	3,348	8PCS..



PRODUCT LIST

AIR BREAK DIRECT-ON-LINE DRY STARTER MK1 TYPE

CAT NO.9	(ADS) MK 1 TYPE	PHASE	MRP (Per Unit)	Package (Per Case)
REDS 718	10, 12.5 HP	Three	3,920	8PCS.
REDS 719	15 HP	Three	4,650	8PCS.



(ADS) CH-TYPE WITH 4-POLE CONTACTOR

CAT NO.	(ADS) CH -TYPE	PHASE	MRP (Per Unit)	Package (Per Case)
REDS 721	3,5,7.5 HP	Three	2,010	8PCS.
REDS 722	10,12.5 HP	Three	2,150	8PCS.
REDS 723	15 HP	Three	2,620	8PCS.



CH-CONTACTOR

CAT NO.	CONTACTOR	POLE	MRP (Per Unit)	Package (Per Case)
RECONT 735	10/16 AMP	TWO	590	48 PCS.
RECONT 736	25 AMP	TWO	680	48 PCS.
RECONT 737	40 AMP	TWO	720	48 PCS.
RECONT 738	16 AMP	FOUR	898	32 PCS.
RECONT 739	25 AMP	FOUR	1088	32 PCS.
RECONT 740	40 AMP	FOUR	1320	32 PCS.



SUBMERSIBLE CONTROL PANEL

M.C.B , Volt /Amp Meter, Indicator , Push Button, Running/Starting Capacitor , Contacto

CAT NO.	HP	PHASE	MRP (Per Unit)	Package (Per Case)
RESCP 741	1 HP	SINGLE	2,890	10 PCS.
RESCP 742	1.5 HP	SINGLE	3,100	10 PCS.
RESCP 743	2 HP	SINGLE	3,250	10 PCS.
RESCP 744	3 HP	SINGLE		10 PCS.



PRODUCT LIST

SPARE PARTS

CAT NO.	SPARE PARTS (HRC BASE PLATE)	MRP (Per Unit)
RESEP 801	100 AMP HRC BASE PLATE	2712
RESEP 802	200 AMP HRC BASE PLATE	3960
RESEP 803	320 AMP HRC BASE PLATE	4235
RESEP 804	400 AMP HRC BASE PLATE	7135

CAT NO.	SPARE PARTS (HRC MOVING SET)	MRP (Per Unit)
RESEP 805	100 AMP HRC MOVING SET	1280
RESEP 806	200 AMP HRC MOVING SET	1845
RESEP 807	320 AMP HRC MOVING SET	2020
RESEP 808	400 AMP HRC MOVING SET	4155

CAT NO.	SPARE PARTS (KNIFE)	MRP (Per Unit)
RESEP 809	32 AMP KNIFE	267
RESEP 810	63 AMP KNIFE	436
RESEP 811	100 AMP KNIFE	490
RESEP 812	200 AMP KNIFE	1098
RESEP 813	320 AMP KNIFE	1302
RESEP 814	400 AMP KNIFE	1799

CAT NO.	SPARE PARTS (KNIFE TYPE DMC)	MRP (Per Unit)
RESEP 815	32 AMP KNIFE TYPE DMC	514
RESEP 816	63 AMP KNIFE TYPE DMC	745
RESEP 817	100 AMP KNIFE TYPE DMC	820
RESEP 818	200 AMP KNIFE TYPE DMC	3364
RESEP 819	320 AMP KNIFE TYPE DMC	3548
RESEP 820	400 AMP KNIFE TYPE DMC	5849

CAT NO.	SPARE PARTS (ENSHIED)	MRP (Per Unit)
RESEP 821	32 AMP MAIN SWITCH	144
RESEP 822	32 AMP CHANGE OVER	147
RESEP 823	63 AMP MAIN SWITCH	220
RESEP 824	63 AMP CHANGE OVER	300
RESEP 825	100 AMP MAIN SWITCH	333
RESEP 826	100 AMP CHANGE OVER	432



THANKS FOR JOINING HAND WITH US

showing trust in us and having the deal.
and client like you is the first step to a
successful business world.

We hope the excellence from you in the future.
With rich experienced & Outstanding
Once again, Thank You!

Terms & Conditions

1. This price list cancels all our previous list.
2. Prices are subject change without prior notice
3. Including all taxes.
4. Any dispute are subject to Delhi Jurisdiction only.



Follow us on



CONTACT WITH US

Mail id: rectivacustomer@rectiva.com

